



# Tianxiang Electric Group

Yangzhou Radiance Solar Technology Co.,Ltd.


[www.isolarlights.com](http://www.isolarlights.com)

[alice@isolarlights.com](mailto:alice@isolarlights.com)

WHATAPP: +86 18952560499

all in one solar street lights

Solar street light part



**\*Other holder bracket for choose\***

## Specifications of all in one solar street light

Model	TXNISL- 30W	TXNISL- 40W	TXNISL- 50W
Solar Panel	60W*18V mono type	60W*18V mono type	70W*18V mono type
Lithium Battery	24AH*12.8V (LiFePO4)	40W	50W
Controller Current	5A	24AH*12.8V (LiFePO4)	30AH*12.8V (LiFePO4)
LED Lamp	30W	10A	10A
Working Time	8-10hour/day , 3days	8-10hour/day , 3days	8-10hour/day , 3days
LED Chips	LUXEON 3030	LUXEON 3030	LUXEON 3030
Luminaire	>110 lm/ W	>110 lm/ W	>110 lm/ W
Working Temperature	-30°C~ +70°C	50000hours	50000hours
Color Temperature	3000~6500 K	3000~6500 K	3000~6500 K
LED Life Time	50000hours	-30°C ~ +70°C	-30°C ~ +70°C
Housing Materail	Aluminum alloy	7-8m	7-9m
Mounting Height	7-8M	Aluminum alloy	Aluminum alloy
Size	777*346*60mm	777*346*60mm	998*425*60mm
Warranty	3 years	3 years	3 years

## Specifications of all in one solar street light

Model	TXNISL- 60W	TXNISL- 80W	TXNISL- 100W
Solar Panel	80W*18V mono type	110W*18V mono type	120W*18V mono type
Lithium Battery	30AH*12.8V (LiFePO4)	54AH*12.8V (LiFePO4 )	54AH*12.8V (LiFePO4)
Controller Current	10A	10A	15A
LED Lamp	60W	80W	100W
Working Time	8-10hour/day , 3days	8-10hour/day , 3days	8-10hour/day , 3days
LED Chips	LUXEON 3030	LUXEON 3030	LUXEON 3030
Luminaire	>110 lm/ W	>110 lm/ W	>110 lm/ W
Working Temperature	-30°C~ +70°C	-30°C~ +70°C	-30°C~ +70°C
Color Temperature	3000~6500 K	3000~6500 K	3000~6500 K
LED Life Time	50000hours	50000hours	50000hours
Housing Materail	Aluminum alloy	Aluminum alloy	Aluminum alloy
Mounting Height	7-9M	9-10m	9-10m
Size	1140*438*60mm	1340*510*60mm	1380*510*60mm
Warranty	3 years	3 years	3 years

Pictures

